


NAJAD 440 CC / 2006

Specification





Najad 440 CC / 2006

Description

The aim for the successful design of the Najad 440 CC was to create a luxury, highly exclusive and superb sailing yacht, capable of being handled comfortably and safety by a crew of one or two persons.

The outcome from the combination of naval architect Judel/Vrolijk & Co, interior designer Rhodes Young and Najadvarvets craftsmen, was a ground breaking, exceptional 'world class' yacht.

Najad 440 is equally suited to the ocean adventurer as to the gentler life of costal cruising and island hopping.

Key Fact's

In-mast furling
Electric furlex
Gennaker
2 x Electrical genua winches
Life raft
Generator
Radar, Plotter, Autopilot, AIS, VHF (Raymarine)
Bowthruster

Info

Model	Najad 440 CC
Yard	Najadvarvet AB
Naval architect	Judel/Vrolijk
Interior design	Rhodes Young
Year	2006
Location	Sweden, Henån
Price SEK	3.250.000 kr
EU VAT	Paid

Data

Length	13,50 m
LVL	12,10 m
Beam	4,03 m
Draft	2,10 m
Displacement	14 ton
Material	GRP/Composite
Engine	Volvo D2-75, 75 hp
Fuel	425 L
Water	550 L
Black water	140 L
Hot water	40 L

NAJAD 440 / 2006

Description

RIG & SAILS

Rig

In-mast furling
Electric Furlex
Hydraulic back stay
Deck light
Boom/cockpit light
Steaming light

Sails

Mainsail (UK)
Genoa (UK)
Gennaker

DECK EQUIPMENT

Winches

2 x Electrical Genoa winch, stainless steel (Andersen 58 STE)
2 x Manual Main sheet winch, stainless steel (Andersen 40 STE)

Deck / Sailing equipment

Deck gear (Lewmar)
Line clutches (Spinlock)
Spinnaker boom

Mooring equipment

4 x cleats, stainless steel
2 x spring cleats, stainless steel
2 x Life line gates
6 x Mooring lines
6 x Fenders
Boat hook

Anchor system

Electrical windlass, below deck mounted, 25 kg Spade anchor, 40 m x 10 mm chain

Skylights, portlights, windows, ventilation

Fixed cockpit windscreen
5 x skylights
13 x portlights (9 x opening type in galley, heads and aft cabin)
6 x dorade type ventilators with stainless steel protection bars

Teak

Solid teak on deck, coach roof, cockpit and swim platform

Cockpit

High gloss varnished entrance and chart table with integrated teak grab rails
Varnished cockpit table
Steering wheel, stainless steel, covered with elk skin
Grab rail at the pedestal and outside windscreen
Sprayhood
Sprayhood extension
Bimini

Grab rail behind the sprayhood, elk skin covered
Cockpit cushions
Cockpit locker
Jack stays in the cockpit

Misc. deck equipment

Life raft (Viking 4UKSL)
Inflatable dingy with outboard
Pushpit teak fitting for outboard engine
Aft deck shower
Safety/Swim ladder
Integrated seats in pushpit
Rescue sling
Horse shoe buoy with light
Crane for outboard

INTERIOR

General

Hand made interior of mahogany and jatoba
Inspection hatches in floorboards
Headlining of cream white covered panels

Layout

2-cabins, 2 x heads/shower, galley and saloon with navigation area

Saloon

Exclusive entrance stair with shaped footsteps and stainless steel handrail covered with black leather.
L-shaped sofa to pt, sofa to sb, saloon table, navigation area to sb, plenty of cupboards and storage.

Galley

The Galley is located to port of the entrance stair, extending aft wards along the hull. Plenty of storage spaces, cupboards, drawers, dry storage.
Gas stove, 2-burners with oven (SMEV)
Gas valve remote control
Fridge box 92 L (SP)
Micro
Corian worktop
Single lever fresh water mixer

Aft cabin

Spacious aft cabin with enclosed heads/shower, double berth, seat, wardrobe, cupboards and drawers

Forward cabins

Forward cabin with enclosed heads/shower, double berth, wardrobe, cupboards and shelves

2 x Heads / Shower

Light and spacious heads/shower compartment.
Corian bench top and floor board, cupboards for storage.
1 x Electrical flush toilets (aft)
1 x Manual toilet (fw)

Interior details

Alcantara upholstery
Pocket spring mattresses
Skyscreens in all cabins
Ceiling lights with dimmers
Carpet
Lee cloth in saloon sofa

TECHNICAL SYSTEMS

Engine and Propulsion

Bow thruster (Max power retractable)
Volvo D2-75, 75 hp
Sail drive
3-blade Max prop
2 x Fuel pre filter

Tanks

Fuel 425 L
Fresh water 550 L
Black water 120 L sea and deck evacuation
Hot water boiler 40 L

Pumps

Manual bilge pump
Electrical bilge pump, auto/man
Electrical bilge pump, high capacity (Rule)

Electrical system

Generator (Fisher Panda)
Inverter / battery charger, 24V / 3kW / 70A (Victron)
Phoenix multi control
Battery charger (SBC 100)
Shore power system, 220V, 7 x outlets, 20 m shore cable
Isolation Transformer
Domestic batteries, AGM, 24 V / 360 Ah
Alternator 24V / 80A
Engine battery 12V / 75 Ah
Alternator 12V / 60A

Navigation system

Compass, illuminated
3 x sailing data instruments (Raymarine ST60)
1 x close haul instrument (ST 290)
1 x graphic instrument (ST 60)
Plotter (Raymarine E 120)
Radar (Raymarine)
Autopilot with mamba drive, course computer and gyro (Raymarine ST 6001 plus)
Autopilot wireless remote control
AIS
Computer screen in Nav station
Navtex (Furuno NX 300)
GPS (Furuno GP 32)
Barometer (digital)

Communication, Computer and Weather systems

VHF (Ray 240 E dual) in at navigation table and in cockpit
2 x VHF speaker
Antenna for VHF, TV and FM (RR)

Hi-Fi

DVD/CD/Radio (Alpine)
Flat screen TV 20" (Thomson)

Misc. Systems

Eberspracher diesel heater, outlets in cockpit, all cabins and heads

Various on board equipment

3 x Fire extinguisher
EPIRB (McMurdo)

Type approval

CE certified category A (unlimited ocean voyages)

Disclaimer: The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

For further information and booking of viewing please contact:

Magnus Kullberg
+46 701 692 398
magnus.kullberg@xlntyachting.se
www.xlntyachting.com

Birgitta Andersson
+46 701 692 358
birgitta.andersson@xlntyachting.se
www.xlntyachting.com