



Malö 37 / 2010

Beskrivning

The Malö 37 is a large 37-footer. Built to give more performance under sail and more comfort on board. A partial rig and large sail area combined with a long waterline and a broad, load-bearing stern make the Malö 37 an easily handled boat that's full of life. A spirited yet stable long-distance yacht.

This Malö 37 / 2010 has used in northerly waters, continuously serviced by professional yard and stored inside during winter time. A well equipped yacht in good condition. Located at XLNT Yachting in Henån during winter and sailing during summertime.

Key Fact's

- In mast furling
- Andersen winches (manual)
- Electric windlass in the bow and stern
- Dingy & outboard
- Generator 230V (Yanmar) between engine and gearbox
- Complete navigation system (Raymarine)
- AGM batteries
- Fuel cell (Efoy)

Info

Model:	Malö 37
Yard:	Malö Yard
Type:	Cruiser
Year:	2010 (delivered 2011)
Location:	XLNT Henån
Price:	2.485.000 SEK
VAT:	Paid in EU

Data

Length	1,55 m
Width	3.52 m
Draft	1.8 m
Displacement	8,2 ton
Material	GRP/Composite
Engine	Yanmar 4JH45, 45 hp
Fuel	approx. 245 L
Water	approx. 400 L
Black water	approx. 70 L
Hot water	approx. 20 L

Malö 37

Detailed specification

RIG and SAIL

- In mast reefing mast Seldén, man overing from cockpit. Mainsail, DC-Mylar, standing battens
- Harken furler system for genoa, Genoa 110 % Sandwich DC
- Cutter jib with hooks 20 m2
- Storm jib
- Harken genoa and mainsheet system
- Adjustable sheet point, down to cockpit
- Rod kick
- Mast prepared for spi-boom (track on mast with bracket)
- Prepared for cutterstay (mast prepared and mounting on deck is done)
- Inner forstay removable with block, tensioner, halyard and sheet
- Gennaker halyard
- Backstay adjuster, mechanical Seldén (single backstay)
- Turnbuckles aluminium
- Decklight
- Tri-colour /anchor light in top of the mast
- Furling genoa cover, beige

DECK EQUIPMENT

- Andersen winches (Genoa 2 x 46ST, mainsheet and furling genoa winches 2 x 12ST)
- Electric windlass in bow: 1000W 12V, mounted under deck, hand control, 40m 8mm chain
- Electric windlass at stern
- Integrated swim platform, with teak
- Teak on deck, cockpit and on coach roof
- Gateway in lifeline (SB + BB)
- Cleats stainless steel and stainless steel protection rails
- Lamps in arc (LED)
- Shower in cockpit
- Cockpit table fixed mounted on the pedestal
- Sprayhood and sprayhood extension (Markilux 319 Beige)
- Windscreen stainless steel
- Gasbox for 2 gas bottle.
- Glasholder on pedestal (teak)
- Pushpit with integrated teak seats
- Jolle, Plastimo Trial 2,7 m
- Engine 2,5 hp
- Engine davit
- Holder for aft anchor
- Anchor aft
- Bow ladder
- Live raft 6 pers (Navimo)
- Outboard fittings in teak on pushpit
- Danbouy

INTERIOR

Layout

- Forcabin
- Aftcabin
- Saloon with 2 sofa
- Galley (bb)
- Navigationtable (sb)

Equipment

- Worktop Corian (Antartica)
- 75L Fridge Isotherm SP in galley
- Hot / Cold pressure water (VVB 25L Slim)
- Sky screen, Ocean Air in for cabin
- Carpet on the floor boards (EGE Texture WT0573240)
- Hatch between toilet and stowage space
- LED lights in the hole boat
- Fabric: Curtain, Akita Bamboo 1145/62
- Fabric: Alcantara 1110 in saloon and nav.seats
- Owen with grill

TECHINAL SYSTEMS

- Generator Yanmar KMG65E, 3kW (230V) between engine and reverse gear
- Folding propeller, 3-blade Flex-o-Fold
- Bogpropeller Sidepower, 80 kg
- Autopilot Raymarine SPX 10, ST70 control panel
- Radar (Raymarine)
- Raymarine ST70 Log/Lod och Wind (one Seataalk NG system)
- VHF Raymarine Ray 55E (D-DSC) in navigation area incl. antenna in top of the mast
- VHF in cockpit
- Raymarine C90W Multi display in cockpit (SB-side of entrance)
- AIS 500, Raymarine, transponder and sender
- Navtex, NAV 6, incl antenna
- Display Raymarine C90W, placed in navigation area
- Satellite phone (inmarsat)
- Network switch Seataalk HS
- Main power pack Mastervolt with charger Chargemaster 12V / 25A
- Stereo paket 1: CD+Radio+MP3 i navigationen, 1 par högtalare i salongen
- Speakers in cockpit
- Heather Eberspächer Airtronic D4
- Air pump electrical
- AGM battery 3x120Ah + 1x75Ah
- Fuel cell (EFOY)

Disclaimer

The company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

For further information and booking of viewing please contact:

Birgitta Andersson
+46 701 692 358

Magnus Kullberg
+46 701 692 398